

PHARMACY LABELLING

The information in this label chart is no substitute for professional knowledge or judgement and users should exercise their own skill and care with respect to its use. Users are encouraged to consult with other sources, such as the Australian Pharmaceutical Formulary Handbook and the manufacturer's Product Information to ensure the information provided in this label chart is suitable for their purpose.



CAUTIONARY & ADVISORY LABELS



WARN 1 1000 per box

Ask your doctor or pharmacist before taking medicines for heartburn, reflux or indigestion.

WARN 4b 1000 per box

DO NOT STOP TAKING THIS MEDICINE ABRUPTLY unless

WARN 9 1000 per box

RINSE MOUTH with water after each use.

WARN 14 1000 per box

Consult your doctor or pharmacis before taking other medicines for pain or inflammation.

WARN 19b 1000 per box

SWALLOW WHOLE Do not crush or chew

WARN A 1000 per box



CONTAINS PEANUT OIL

WARN N 1000 per box

This preparation is to aid sleep. **Drowsiness may continue the following day.** If affected, do not

drive or operate machinery.

Avoid alcohol.

WARN 1a 1000 per box

Ask your doctor or pharmacist before using any other medicine including over-the-counter medicines or health products.

WARN 5 1000 per box

Do not take more than one aspirir tablet or capsule each day while

WARN 10a 1000 per box

This medicine replaces Do not use both.

WARN 15a 1000 per box

Take once weekly on the

WARN 20 1000 per box

TAKE WITH OR SOON **AFTER FOOD**

WARN B 1000 per box

CERTAIN FOODS AND JUICES SHOULD BE AVOIDED

WARN I 1000 per box

DO NOT TAKE ALCOHOL

WARN 2 1000 per box

REFRIGERATE Do not freeze

WARN 6 1000 per box

DO NOT TAKE ASPIRIN OR ANTI-INFLAMMATORY MEDICINES while being treated with this medicine unle

WARN 10b 1000 per box

DO NOT USE This medicine **BOTH**

WARN 15b 1000 per box

Special handling and ask your pharmacist

WARN 21 1000 per box

TAKE AT LEAST HALF AN **HOUR BEFORE FOOD**

WARN C 1000 per box

SHAKE WELL **BEFORE EACH USE**

WARN J 1000 per box

Take on an empty stomach meals and at bedtime.

WARN 3a 1000 per box

Discard contents after

WARN 7a 1000 per box

DO NOT TAKE POTASSIUM hile being treated with this medicing unless advised by your doctor.

WARN 11 1000 per box

This medicine may cause dizziness especially when you stand up quickly. Ask your doctor or pharmacist for advice.

WARN 16 1000 per box

Use only with approved or recommended device.

WARN 22 1000 per box

CONTINUE FOR 14 DAYS AFTER SYMPTOMS CEASE

WARN E 1000 per box

WARN K 1000 per box

FOR EXTERNAL USE ONLY

WARN 7b 1000 per box

Discard

Date opened

This medicine may affect mental alertness and/or coordination. If affected, do not drive a motor vehicle or operate machinery.

Take on an empty stomach at least half an hour before

food or two hours after food

days after opening

WARN 3b 1000 per box

WARN 12 1000 per box

Avoid eating grapefruit or drinking grapefruit juice while being treated with this medicine

WARN 18 1000 per box

This product has been empounded by the pharmac

WARN 23 1000 per box

TAKE IMMEDIATELY **BEFORE FOOD**

WARN F 1000 per box

CAUTION NOT TO BE TAKEN

The Mixture

SHAKE THE BOTTLE

WARN 70 1000 per box

WARN L 1000 per box

Do not take dairy products, antacids or mineral supplements within two hours of each dose of this medicine.

WARN 4a 1000 per box

Avoid excessive skin exposure to sunlight and sunlamps while being treated with this medicine.

WARN 8 1000 per box

Do not remove from original packaging until

WARN 13 1000 per box

Contains PARACETAMOL nsu**l**t your doctor or pharmacist be taking other paracetamol products.

WARN 19a 1000 per box

Use of this medicine has the risks of overdose and dependence

WARN 24 1000 per box

TAKE IN THE MORNING drink plenty of water

WARN G 1000 per box

ALLOW THIS MEDICINE TO DISSOLVE IN YOUR MOUTH

WARN M 1000 per box

ADDITIONAL ADVISORY LABELS

KEEP OUT OF THE REACH OF CHILDREN

WARN 61 1000 per box

CAUTION NOT TO BE SWALLOWED WARN 72 1000 per box



A LOWER PRICED BRAND OF YOUR MEDICINE IS AVAILABLE PLEASE CONSULT YOUR DOCTOR OR PHARMACIST

WARN 100 1000 per box

POISON! Not to be taken

WARN 126 1000 per box

WARN 200 1000 per box

LAST REPEAT FOR FURTHER REPEATS A NEW PRESCRIPTION IS NECESSARY

WARN 62 1000 per box

DO NOT TAKE THIS MEDICINE IF ALLERGIC TO PENICILLIN

WARN 86 1000 per box

PACK 1 **USE THIS PACK FIRST**

WARN 95 1000 per box

48 HOURS NOTICE BEFORE NEXT SUPPLY.

WARN 102 1000 per box

AND KEEP IN REFRIGERATOR

WARN 127 1000 per box

LAST REPEAT S

WARN 62a 1000 per box

TO BE TAKEN 88 **UNTIL ALL USED**

WARN 88 1000 per box

PACK 2 DO NOT USE THIS PACK UNTIL PACK 1 IS FINISHED

WARN 96 1000 per box

DO NOT USE IF **PREGNANT**

WARN 104 1000 per box

INHALE SLOW and **STEADY**

WARN 130 1000 per box


CAUTION! Not to be taken

WARN 201 1000 per box

a friendly reminder YOUR ACCOUNT IS OVERDUE WARN 206 500 per box

CHILDREN'S
PRESCRIPTION
SHAKE THE BOTTLE **WARN 205** 500 per box

MEDICINAL CANNABIS LABELS



May take to take effect

CAN307 1000 per box

TAKE BY VAPORISER CAN302 1000 per box

> 2 to 3 mins to take effect

May take

CAN308 1000 per box



DO NOT VAPE

may be harmful.

naling this preparation

CAN309 1000 per box



PHARMACIST WISHES TO SPEAK TO YOU



WARN 98 1000 per box





WARN 131 1000 per box



FOR EXTERNAL USE ONLY

195mm x 107mm x x101mm

WARN 202 1000 per box

De Mille de la compansión de la compansi

Store in a cool dry

place out of sunlight.

LAST

REPEAT

CAN304 1000 per box

CAN311 1000 per box



WARN 90 1000 per box

WARN 109 250 per box

Please return empty inhaler to pharmacy for safe disposal

WARN 135 1000 per box

Shake the Bottle F **WARN 71** 1000 per box

WARNING SERIOUS INJURY IF TAKEN BY ANOTHER PERSON.

WARN 92 1000 per box THIS MEDICINE MAY DECREASE
THE EFFECTIVENESS OF ORAL
CONTRACEPTIVES. CONSULT YOUR
DOCTOR OR PHARMACIST.

WARN 99 1000 per box

OUR PHARMACIST RECOMMENDS A PROBIOTIC WITH THIS MEDICATION

WARN 112 1000 per box

Please return unwanted medicine to pharmacy for safe disposal

WARN 136 1000 per box

SHAKE THE BOTTLE

WARN 203 1000 per box

PH0000 | Small Label Holder

DO NOT VAPE To be taken orally or sublingually (under the tongue)

DO NOT REFRIGERATE

CAN305 1000 per box

CAN312 1000 per box

PH0001 | Large Label Holder 297mm x 107mm x 101mm

Take doses 6 to 8 hours apart

CAN306 1000 per box

USE WITH A TGA APPROVED VAPORISING DEVICE

CAN313 1000 per box

TO PLACE AN ORDER CALL 1300 651